

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/064,749	08/13/2002		Robert David Darrow	RD27658	8455
41838	7590	03/27/2006		EXAM	INER
		RIC COMPANY	SULLIVAN, JULIANNE M		
C/O FLETC		DER	ART UNIT	PAPER NUMBER	
HOUSTON,		269-2289		3737	

DATE MAILED: 03/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
·	10/064,749	DARROW ET AL.					
Office Action Summary	Examiner	Art Unit					
	Julianne M. Sullivan	3737					
The MAILING DATE of this communication ap							
Period for Reply	•	· .					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING I Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 136(a). In no event, however, may a lid will apply and will expire SIX (6) MON te, cause the application to become Al	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).					
Status	•						
1) Responsive to communication(s) filed on 23 /	November 2005.						
2a) ☐ This action is FINAL . 2b) ☑ Thi	This action is FINAL . 2b)⊠ This action is non-final.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.). 11, 453 O.G. 213.					
Disposition of Claims							
4)⊠ Claim(s) <u>1,2,4-17 and 19-31</u> is/are pending in	the application.						
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1,2,4-17 and 19-31</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/	or election requirement.						
Application Papers							
9) The specification is objected to by the Examin	er.						
10) The drawing(s) filed on 13 August 2002 is/are	: a)⊠ accepted or b)⊡ ot	ojected to by the Examiner.					
Applicant may not request that any objection to the	e drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct							
11)☐ The oath or declaration is objected to by the E	Examiner. Note the attache	d Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12) ☐ Acknowledgment is made of a claim for foreig a) ☐ All b) ☐ Some * c) ☐ None of:	n priority under 35 U.S.C. §	§ 119(a)-(d) or (f).					
1. Certified copies of the priority documer	nts have been received.						
Certified copies of the priority documer							
3: Copies of the certified copies of the price		received in this National Stage					
application from the International Burea							
* See the attached detailed Office action for a lis	st of the certified copies not	received.					
·							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) (s)/Mail Date					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	=: □□	Informal Patent Application (PTO-152)					

Application/Control Number: 10/064,749 Page 2

Art Unit: 3737

DETAILED ACTION

Response to Arguments

- 1. Applicants' arguments filed October 27, 2005 have been fully considered but they are not persuasive.
- 2. Regarding Applicants' arguments with respect to the obviousness-type double patenting rejection of Claims 1-10, 13-17, 19 and 22-30 over Claims 1, 3, 14, 16 and 17 of U.S. Patent No. 5,211,165 to Dumoulin et al. in view of Dumoulin et al. (U.S. Patent No. 5,251,635), Applicants' attention is directed to Dumoulin et al. '635 at column 7, lines 31-39. There, Dumoulin et al. '635 specifically teaches the predetermined response of acquiring a new image when the invasive device moves, as was cited in the previous Office Action (page 6, dated August 24, 2005). As such, the obviousness-type double patenting rejection will be maintained. The Examiner also notes that this rejection was considered in light of Applicants' arguments as to the differences between this Dumoulin et al. '635 teaching and the current application, which Applicants made in their Remarks with respect to the anticipation rejections of the claims under 35 U.S.C. § 102(b), and a response to those arguments follows.
- 3. Regarding Applicants' arguments with respect to the rejection of Claims 1-10, 13-17, 19 and 22-30 as anticipated by Dumoulin et al. '635, Applicants' attention is again directed to column 7, lines 31-39, as discussed above, where Dumoulin et al. '635 teaches a predetermined response. With respect to the argument that Dumoulin et al. '635 fails to teach "positioning the medical device within the target region of interest without moving the subject," the Examiner points out that Applicants have not claimed positioning the medical device without moving the subject. In contrast, Applicants have claimed a system that responds to at least one of motion of

Art Unit: 3737

the medical device *or* of the subject. Thus, a response to motion of the medical device, as taught in Dumoulin et al. '635 at column 7, lines 31-39, anticipates that feature of the present claims, regardless of whether there is motion of the subject.

With respect to the argument that Dumoulin et al. '635 fails to teach "a predetermined or pre-programmed response such as terminating therapy or repositioning the medical device within the target region of interest or activating an advisory message to the interface unit," the Examiner points out that Applicants have not claimed *each* of these, but rather, in Claims 4, 22 and 25, have claimed "at least one of terminating therapy, repositioning the medical device within the target region of interest, activating the imaging unit to acquire a new image and activating an advisory message to the interface unit," (both emphases added). Therefore, a teaching of any one of the listed responses properly anticipates these Claims. Here, as cited above, Dumoulin et al. '635 teaches activating the imaging unit to acquire a new image (col. 7, lines 31-39), thus anticipating these Claims.

Similarly, with respect to the argument that Dumoulin et al. '635 fails to teach "an advisory feedback such as text or audio that prompts an operator to take a particular course of action during a medical procedure," the Examiner first notes that the language "... that prompts an operator to take a particular course of action during a medical procedure," has not been claimed at all by Applicants in the present application. Second, in Claims 6, 17 and 24, Applicants have not claimed *each* of a text message and an audio advisory, but rather have claimed "at least one of a visual icon representing position of the device, a text message and an audio advisory." Therefore, a teaching of any one of the listed responses properly anticipates these Claims. Here, as cited in the previous Office Action, Dumoulin et al. '635 teaches

Art Unit: 3737

advisory feedback that is a visual icon representing the position of the device (col. 3, lines 22-25 and col. 4, lines 19-21 and 25-35), thus anticipating these Claims.

Finally, with respect to the argument that Dumoulin et al. '635 fails to teach "navigating or repositioning the 'medical device' during the medical procedure based on the feedback to the interface unit," Applicants' attention is directed to column 2, lines 2-10, 25-28 and 67, column 3, lines 1-4 and column 7, lines 31-39 and 61-65. There, Dumoulin et al. teaches that an invasive device is inserted into a subject and its position is tracked in real-time, from which it can be inferred that it is being moved, and that the tracking is used to aid in the placement of the device. As discussed above, Dumoulin et al. teaches tracking of the device and feedback in the form of a visual icon representation of the location of the device, thus the reference does teach the claimed features.

Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In *re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Art Unit: 3737

5. Claims 1, 2, 4-10, 13-17, 19 and 22-31 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1, 3, 14, 16 and 17 of U.S. Patent No. 5,211,165 to Dumoulin et al. in view of Dumoulin et al. (U.S. Patent No. 5,251,635). Although the conflicting claims are not identical, they are not patentably distinct from each other because they are directed to the same tracking and positioning system for medical devices used within the body.

Regarding Claims 1, 7-9, 13-15, 23 and 27 of the present application, Dumoulin et al. '165 claims all of the features of the present invention, including a medical device adapted for internal use (Claim 1, col. 7, line 50), an imaging device (Claim 1, col. 7, lines 63-65), and a medical device monitoring and positioning subsystem that monitors the position of the device and provides feedback when the device leaves the region of interest (Claim 1, col. 7, lines 59-62 and 66-68 and col. 8, lines 1-5). Dumoulin et al. '165 further claims an imaging system that may be an X-ray imaging system (Claim 14, col. 9, lines 35-37), an MRI system (Claim 16, col. 10, lines 1-3) or a PET system (Claim 17, col. 10, lines 4-6), an invasive device that may be a guide wire, a catheter, an endoscope, a laparoscope or a biopsy needle (Claim 3, col. 8, lines 32-35), a tracking device for tracking the location of the medical device (Claim 1, col. 7, lines 51-62), and a processor coupled to the medical imaging device and the tracking device for generating images of the region of interest with a visual representation of the medical device superimposed on the images and the processor is further adapted to monitor a position of the medical device relative to the region of interest (Claim 1, col. 7, lines 66-68 and col. 8, lines 1-5), except for explicitly stating that the target region of interest is selected by an operator from an image, that the interface responds to operator input of coordinates of the desired target position of the medical

Art Unit: 3737

device or that the subsystem has a predetermined response to movement of the subject or of the medical device relative to the target region. In the same field of endeavor, Dumoulin et al. '635 teaches that the operator initiates image acquisition at a selected location through an interface that is adapted to respond to the operator's input (col. 7, lines 38-43) and that the subsystem has a predetermined response to movement of the medical device relative to the target region (col. 7, lines 24-39). It would have been obvious to one of ordinary skill in the art at the time of the invention to combine this feature of the '635 patent with those of the '165 patent in order to provide imaging or therapy at the appropriate location and in order to provide improved placement of the device.

Regarding Claims 2, 4-6, 17, 19, 22, 24 and 25, Dumoulin et al. '165 teaches a monitoring subsystem that is adapted to receive configuration information that is tracking method information corresponding to the medical device, that has a predetermined response of activating the imaging system to acquire a new image in response to the movement of the medical device relative to the target region within the subject and that provides advisory feedback where the feedback is a visual icon representing the location of the device (col. 2, lines 54-57, col. 3, lines 9-12, col. 4, lines 8-10, 14-24, 31-36 and 58-60 and col. 7, lines 26-32).

Regarding Claims 10, 16, 26 and 28-31, Dumoulin et al. '165 claims all of the features of the present invention, as discussed above, except that there is a coupling between the interface and the processor for displaying the images representing the region of interest and the medical device and that the interface is used for positioning the medical device and responding to movement of the medical device in real time, such that the feedback provided to the interface can be used to navigate the device to a region of interest. In the same field of endeavor, Dumoulin et

Art Unit: 3737

al. '635 teaches a coupling between the interface and the processor for displaying the images representing the region of interest and the medical device (col. 3, lines 1-4), where the interface is used for positioning the medical device and responding to movement of the medical device in real time, such that the feedback provided to the interface can be used to navigate the device to a region of interest (col. 2, lines 25-28 and col. 7, lines 31-39 and 61-65). It would have been obvious to one of ordinary skill in the art at the time of the invention to combine these features of the '635 patent with those of the '165 patent in order to provide imaging or therapy at the appropriate location and in order to provide improved placement of the device.

6. Claims 2, 11, 12, 20 and 21 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 1 of U.S. Patent No. 5,211,165 to Dumoulin et al. in view of Dumoulin et al. '635 as applied to Claims 1, 13 and 23 above, and further in view of Panescu et al. (U.S. Patent No. 5,916,163).

Dumoulin et al. '165 in view of Dumoulin et al. '635 claims all of the features of the present invention, as discussed above, except for expressly stating that the subsystem receives configuration information about the device that is a model representation, where that information corresponds to a visual representation of the device for superimposing on the images acquired, and where the visual representation is a wire-frame model of the device. In the same field of endeavor, Panescu et al. teaches a system for locating and positioning a catheter within a body where configuration information about the device is entered into the processing system (col. 6, lines 56-59). Panescu et al. also teaches that a graphical representation of the device may be provided and that the representation may be used in combination with the fluoroscopic images of the position of the device (col. 6, lines 31-46). Further, Panescu et al. teaches that a wire-frame

Art Unit: 3737

image of the device may be used (col. 6, lines 47-48). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the configuration input scheme and visual representations of Panescu et al. with the system of Dumoulin et al. '165 in order to provide the operator with improved orientation of the device within the subject (see for motivation Panescu et al. at col. 5, lines 65-67 and col. 6, lines 6-12).

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 8. Claims 1, 2, 4-10, 13-17, 19 and 22-31 are rejected under 35 U.S.C. 102(b) as being anticipated by Dumoulin et al. (U.S. Patent No. 5,251,635).

Regarding Claims 1, 7, 13 and 23, Dumoulin et al. '635 teaches a medical device positioning system and method including a medical device adapted for internal use for performing the medical procedure, an imaging device, a medical device monitoring and positioning subsystem for monitoring the position of the medical device relative to a target region of interest within the subject and for providing feedback to an interface unit and responding to motion of at least one of the medical device or the subject in a predetermined fashion when the position of the medical device deviates from the target region of interest, a tracking device, a processor coupled to the medical imaging device and the tracking device for generating images of the region of interest with a visual representation of the medical device superimposed on the images, where the processor is further adapted to monitor a position of the

Art Unit: 3737

medical device relative to the region of interest and to respond to changes in the position and provide feedback to an interface and where the operator initiates image acquisition at a selected location through an interface which is adapted to respond to the operator's input (col. 1, lines 60-63, col. 2, lines 2-10, 61-66 and 68 and col. 3, lines 1-4, 12-16 and 35-39, col. 4, lines 16-19 and col. 7, lines 24-43).

Regarding Claims 2, 4-6, 17, 19, 22, 24 and 25, Dumoulin et al. '635 teaches a monitoring subsystem that is adapted to receive configuration information that is tracking method information corresponding to the medical device, that has a predetermined response of activating the imaging system to acquire a new image in response to the movement of the medical device relative to the target region within the subject, that provides advisory feedback to the interface unit when the medical device deviates from a target position, where the advisory feedback is a visual icon representing the position of the device (col. 3, lines 1-4 and 22-25, col. 4, lines 19-21, 25-35, 42-46 and 68, col. 5, line 1 and col. 7, lines 24-39).

Regarding Claims 8-10, 14-16 and 26-31, Dumoulin et al. '635 teaches an imaging device that may be an MRI scanner, an X-ray device, a PET system, an ultrasound scanner or any other similar medical diagnostic imaging device, an invasive device that may be at least one of a biopsy needle guide, an invasive probe, an ablation device, a laparoscope and a therapeutic laser, an interface where the operator selects the desired position of the device and a coupling between the interface and the processor for displaying the images representing the region of interest and the medical device where the interface is used for positioning the medical device and responding to movement of the medical device in real time, such that the feedback provided to the interface can be used to navigate the device to a region of interest (col. 1, lines 60-63, col. 2,

Art Unit: 3737

lines 25-28, col. 3, lines 1-4, col. 4, lines 22-48, col. 7, lines 31-43 and 61-68 and col. 8, lines 1-3).

Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 2, 11, 12, 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dumoulin et al. '635 in view of Panescu et al. (U.S. Patent No. 5,916,163).

Dumoulin et al. '635 teaches all of the features of the present invention except that the monitoring and positioning subsystem receives configuration information about the device that is a model representation, where that information corresponds to a visual representation of the device for superimposing on the images acquired, and where the visual representation is a wire-frame model of the device.

In the same field of endeavor, Panescu et al. teaches a system for locating and positioning a catheter within a body where configuration information about the device is entered into the processing system (col. 6, lines 56-59). Panescu et al. also teaches that a graphical representation of the device may be provided and that the representation may be used in combination with the fluoroscopic images of the position of the device (col. 6, lines 31-46). Further, Panescu et al. teaches that a wire-frame image of the device may be used (col. 6, lines 47-48). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the configuration input scheme and visual representations of Panescu et

Art Unit: 3737

al. with the system of Dumoulin et al. '635 in order to provide the operator with improved orientation of the device within the subject (see for motivation Panescu et al. at col. 5, lines 65-67 and col. 6, lines 6-12).

11. Claims 6, 17 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dumoulin et al. '635 in view of Twiss et al. (U.S. Patent No. 5,375,596).

Dumoulin et al. '635 teaches all of the features of the present invention except for expressly providing that the advisory feedback may be an audible advisory. In the same field of endeavor, Twiss et al. teaches a method and apparatus for locating catheters or other devices within biological tissue where an audible tone is used to indicate proximity to the desired location (col. 7, lines 1-4 and 23-30). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the audible advisory of Twiss et al. in the system of Dumoulin et al. '635 so that the operator receives location information without the necessity of his looking away from the patient to a display screen.

12. Claims 1, 2, 4-10, 13-17, 19 and 22-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dumoulin et al. (U.S. Patent No. 5,211,165) in view of Dumoulin et al. '635.

Regarding Claims 1, 7, 10, 13, 23, 26 and 31, Dumoulin et al. '165 teaches a medical device positioning system and a method for positioning a device comprising an internal medical device, an imaging device, a medical device monitoring and positioning subsystem that monitors the position of the device and provides feedback to an interface, a tracking device, and a processor coupled to the medical imaging device and tracking device for generating images (col. 2, lines 46-51, 53-57 and 61-65, col. 3, lines 23-27, col. 4, lines 4-7 and col. 7, lines 18-32). Dumoulin et al. '165 does not explicitly teach that the target region of interest is selected by an

Art Unit: 3737

operator from an image, that the interface responds to operator input of coordinates of the desired target position of the medical device or that the subsystem has a predetermined response to movement of the subject or of the medical device relative to the target region. In the same field of endeavor, Dumoulin et al. '635 teaches that the operator initiates image acquisition at a selected location through an interface that is adapted to respond to the operator's input (col. 7, lines 38-43) and that the subsystem has a predetermined response to movement of the medical device relative to the target region (col. 7, lines 24-39). It would have been obvious to one of ordinary skill in the art at the time of the invention to combine these features of the '635 patent with those of the '165 patent in order to provide imaging or therapy at the appropriate location and in order to provide improved placement of the device.

Regarding Claims 2, 4-6, 17, 19, 22, 24 and 25, Dumoulin et al. '165 teaches a monitoring subsystem that is adapted to receive configuration information that is tracking method information corresponding to the medical device, that has a predetermined response of activating the imaging system to acquire a new image in response to the movement of the medical device relative to the target region within the subject and that provides advisory feedback where the feedback is a visual icon representing the location of the device (col. 2, lines 54-57, col. 3, lines 9-12, col. 4, lines 8-10, 14-24, 31-36 and 58-60 and col. 7, lines 26-32).

Regarding Claims 8, 9, 14, 15 and 27, Dumoulin et al. '165 teaches that the imaging device may be an MRI scanner, an X-ray device, a PET system or an ultrasound scanner and that the invasive device may be a guide wire, laparoscope, catheter, biopsy needle or other invasive devices (col. 1, lines 25-26 and 50, col. 7, lines 33-38).

Application/Control Number: 10/064,749 Page 13

Art Unit: 3737

Regarding Claims 16 and 28-30, Dumoulin et al. '165 teaches all of the features of the present invention except for expressly stating that there is a coupling between the interface and the processor that allows display of images and response to movement in real time and that the feedback may be used to navigate the device. In the same field of endeavor, Dumoulin et al. '635 teaches a coupling between the interface and the processor for displaying the images representing the region of interest and the medical device (col. 3, lines 1-4), where the interface is used for positioning the medical device and responding to movement of the medical device in real time, such that the feedback provided to the interface can be used to navigate the device to a region of interest (col. 2, lines 25-28 and col. 7, lines 31-39 and 61-65). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the real-time response of Dumoulin et al. '635 in the system of Dumoulin et al. '165 in order to provide improved placement of the device. When inserting an invasive device into the body, both the ultimate location as well as the path the device takes to reach that location are critical in order to avoid unnecessary damage to tissues, therefore it would be obvious to use a system that provides a more accurate and contemporaneous location for the device.

13. Claims 2, 11, 12, 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dumoulin et al. '165 in view of Dumoulin et al. '635 as applied to Claims 1, 13 and 23 above, and further in view of Panescu et al.

Dumoulin et al. '165 in view of Dumoulin et al. '635 teaches all of the features of the present invention except that the monitoring subsystem receives configuration information about the device that is a model representation, where that information corresponds to a visual

Art Unit: 3737

representation of the device for superimposing on the images acquired, and where the visual representation is a wire-frame model of the device.

In the same field of endeavor, Panescu et al. teaches a system for locating and positioning a catheter within a body where configuration information about the device is entered into the processing system (col. 6, lines 56-59). Panescu et al. also teaches that a graphical representation of the device may be provided and that the representation may be used in combination with the fluoroscopic images of the position of the device (col. 6, lines 31-46). Further, Panescu et al. teaches that a wire-frame image of the device may be used (col. 6, lines 47-48). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the configuration input scheme and visual representations of Panescu et al. with the system of Dumoulin et al. '165 in order to provide the operator with improved orientation of the device within the subject (see for motivation Panescu et al. at col. 5, lines 65-67 and col. 6, lines 6-12).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julianne M. Sullivan whose telephone number is 571-272-6084. The examiner can normally be reached on Monday through Friday 8:00am to 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 571-272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/064,749 Page 15

Art Unit: 3737

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SUPERVISOP'

WIED.